## AMENDMENTS TO THE CLAIMS

- 1. (Original) A converter for converting a non waste-residue collecting toner cartridge to a waste-residue collecting toner cartridge, the converter comprising:
  - a) a waste-residue collection site; and
  - b) a waste-residue remover.
- 2. (Original) A converter for converting a non waste-residue collecting toner cartridge to a waste-residue collecting toner cartridge, the converter comprising:
- a) a waste-residue collection site with an opening wherein the opening is positionable proximate a photo conductor drum disposed within the cartridge; and
- b) a waste-residue remover operably associateable with the photo conductor drum.
- 3. (Original) A converter as claimed in claim 2 wherein the waste-residue collection site is a waste-residue hopper.
- 4. (Original) A converter as claimed in claim 3 wherein the waste-residue remover is a scraper.
- 5. (Original) A converter as claimed in claim 4 wherein the scraper protrudes within the opening of the waste-residue hopper.
- 6. (Original) A converter as claimed in claim 5 wherein the scraper is attached within the waste-residue hopper.

- 7. (Original) A converter as claimed in claim 6 wherein the scraper is a blade.
- 8. (Original) A converter as claimed in claim 2 wherein the waste-residue remover is a scraper.
- 9. (Original) A converter for converting a non waste-residue collecting toner cartridge to a waste-residue collecting toner cartridge, the converter comprising:
- a) means for collecting waste-residue from the photo conductor drum; and
- b) means for removing waste-residue from the photo conductor drum and directing the waste-residue into the means for collecting waste-residue.
- 10. (Original) A converter as claimed in claim 9 wherein the means for collecting is a waste-residue hopper.
- 11. (Original) A converter as claimed in claim 10 wherein the means for removing waste-residue is a scraper.
- 12. (Original) A converter as claimed in claim 11 wherein the scraper protrudes from an opening of the waste-residue hopper.
- 13. (Original) A converter as claimed in claim 12 wherein the scraper is attached to the waste-residue hopper.
- 14. (Original) A method for converting a non waste-residue collecting toner cartridge to a

waste-residue collecting toner cartridge comprising the steps of:

- a) positioning a waste-residue collection site within the cartridge proximate a photo conductor drum disposed within the cartridge; and
- b) positioning a waste-residue remover in operable association with the photo conductor drum such that waste-residue is removed from the photo conductor drum upon rotation thereof and deposited into the waste-residue collection site.
- 15. (Original) A method as claimed in claim 14 wherein positioning a waste-residue collection site comprises positioning a waste-residue hopper.
- 16. (Original) A method as claimed in claim 15 wherein positioning a waste-residue remover comprises positioning a scraper.
  - 17. (Canceled)
  - 18. (Canceled)
  - 19. (Canceled)
  - 20. (Canceled)
  - 21. (Canceled)
  - 22. (Canceled)
  - 23. (New) A method comprising:

providing a non waste-residue collecting toner cartridge comprising a housing and a photo conductor

drum;

providing a waste-residue converter comprising a waste-residue collection site and a waste-residue remover;

converting said non waste-residue collecting toner cartridge to a waste-residue collecting toner cartridge by installing said waste-residue converter at least partially within said housing.

- 24. (New) The method of claim 23 wherein said installing said waste-residue converter comprises locating an opening in said waste-residue collection site proximate said photo conductor drum.
- 25. (New) The method of claim 23 wherein said installing said waste-residue converter comprises operatively associating said waste-residue remover with said photo conductor drum.
- 26. (New) The method of claim 23 and further comprising providing a door in said housing.
- 27. (New) The method of claim 26 wherein said installing said waste-residue converter comprises inserting said waste-residue converter into said housing through said door.
- 28. (New) The method of claim 26 wherein said door is releasably retained in a closed configuration in relation to said housing.
- 29. (New) The method of claim 23 wherein said wasteresidue collection site is a waste-residue hopper.

- 30. (New) The method of claim 23 wherein said wasteresidue remover is a scraper.
  - 31. A toner cartridge comprising:
  - a housing; and
- a photo conductor drum located at least partially within said housing;

wherein, said toner cartridge comprises at least a first operating condition and a second operating condition;

wherein, in said first operating condition, a wasteresidue collection site is not located within said housing; and

wherein in said second operating condition, a wasteresidue collection site is located within said housing.

- 32. (New) The toner cartridge of claim 31 wherein, in said second operating condition, said waste-residue collection site comprises an opening proximate said photo conductor drum.
- 33. (New) The toner cartridge of claim 31 wherein: in said second operating condition, a waste-residue remover is operably associated with said photo conductor drum; and

in said first operating condition, said wasteresidue remover is not operably associated with said photo conductor drum.

34. (New) The toner cartridge of claim 31 wherein: said toner cartridge is a non waste-residue collecting toner cartridge in said first operating condition and a waste-residue collecting toner cartridge in said second operating condition.

- 35. (New) The toner cartridge of claim 31 and further comprising a door in said housing.
- 36. (New) The toner cartridge of claim 31 wherein said door is releasably retained in a closed configuration in relation to said housing.
- 37. (New) The toner cartridge of claim 31 wherein said waste-residue collection site is a waste-residue hopper.
- 38. (New) The toner cartridge of claim 33 wherein said waste-residue remover is a scraper.